

SELF-CARE AND SELF-MANAGEMENT

Integrated MSK Service Website: <https://sussexmskpartnershipcentral.co.uk/>

OUTCOME MEASURES

- MSK-HQ
- STarT Back Tool

Part V

Spine pain related to pregnancy

Scoliosis

Congenital scoliosis at birth

Early onset scoliosis (0-10)

Adolescent idiopathic scoliosis (10-18)

Degenerative scoliosis

Worsening of pre-existing scoliosis due to degeneration

Neuromuscular scoliosis

Diffuse Idiopathic Skeletal Hyperostosis (DISH)

Rib Pain Costochondritis

Pain at the sternochondral and costochondral joints AKA Tietze syndrome

CAD – Cervical Arterial Dysfunction

Cervicogenic headache

Meralgia paraesthetica

Referral reason / Patient presentation	Spine pain related to pregnancy
Primary Care Management	<p>Management (including condition-specific self-care options): Rule out any other cause of pain e.g. Foetus position/ kidney involvement Ensure Midwives have reviewed the pain area</p> <p>If unable to manage in primary care, advice self-referral to Women's Health Physiotherapy</p>
Thresholds for Primary Care to initiate a referral	Refer to Women's Health Physiotherapy and access through Sussex MSK
Management Pathway for the Integrated MSK Service	N/A
Thresholds for referral for Intervention Offer patient choice of provider	N/A
Management pathway for Specialist In-patient care	N/A

Referral reason / Patient presentation	SCOLIOSIS https://britscoliosis.org.uk/Scoliosis-Overview
Referral reason / Patient presentation	SCOLIOSIS Congenital scoliosis at birth
Primary Care Management	<p>History, Examination and Assessment</p> <p>See link: https://britscoliosis.org.uk/Congenital-Scoliosis</p> <p>Diagnostic None</p> <p>Refer to Secondary Care</p>
Thresholds for Primary Care to initiate a referral	N/A
Management Pathway for the Integrated MSK Service	N/A
Thresholds for referral for Intervention Offer patient choice of provider	N/A
Management pathway for Specialist In-patient care	N/A

Referral reason / Patient presentation	Early onset scoliosis (0-10)
Primary Care Management	<p>History, Examination and Assessment</p> <p>See link: https://britscoliosis.org.uk/Early-Onset-Scoliosis</p> <p>Diagnostic None</p> <p>Refer to Secondary Care</p>
Thresholds for Primary Care to initiate a referral	N/A
Management Pathway for the Integrated MSK Service	N/A
<p>Thresholds for referral for Intervention</p> <p>Offer patient choice of provider</p>	N/A
Management pathway for Specialist In-patient care	N/A

Referral reason / Patient presentation	Adolescent idiopathic scoliosis (10-18)
Primary Care Management	<p>History, Examination and Assessment</p> <p>Forward bend test can help to check whether a child has scoliosis</p> <p>See link for further details: https://britscoliosis.org.uk/Adolescent-Idiopathic-Scoliosis</p> <p>Diagnostic None</p> <p>Refer to Secondary Care</p>
Thresholds for Primary Care to initiate a referral	N/A
Management Pathway for the Integrated MSK Service	N/A
<p>Thresholds for referral for Intervention</p> <p>Offer patient choice of provider</p>	N/A
Management pathway for Specialist In-patient care	N/A

Referral reason / Patient presentation	<p style="text-align: center;">Degenerative scoliosis Worsening of pre-existing scoliosis due to degeneration</p>
<p>Primary Care Management</p>	<p>History, Examination and Assessment</p> <p>See link: https://britscoliosis.org.uk/Adult-Degenerative-Scoliosis</p> <p>Diagnostic None</p>
<p>Thresholds for Primary Care to initiate a referral</p>	<p>Refer to secondary care if: If your primary reason for referral is for evaluation and management of existing or developing scoliosis Known scoliosis with worsening deformity and/or worsening symptoms</p> <p>Refer to Advanced Practitioner if: Scoliosis is thought to be contributing to the presenting or current symptoms (e.g. radiculopathy or back pain – see other guidelines) and for exclusion of other possible contributing pathology without worsening deformity</p> <p>Refer to physiotherapy if: Mild localised pain in the thoracic or lumbar spine that correlates with a mechanical presentation without worsening deformity</p> <p>See leaflet: https://www.sauk.org.uk/downloads/managing-adult-scoliosis-with-physiotherapy---sauk-archive.pdf</p>
<p>Management Pathway for the Integrated MSK Service</p>	<p>History, Examination and Assessment</p> <p>Diagnostics As per spinal pain or radiculopathy differentiation</p> <p>Management: Physiotherapy if worsening symptoms without worsening deformity</p>
<p>Thresholds for referral for Intervention</p> <p>Offer patient choice of provider</p>	<p>Refer to secondary care if: Known scoliosis with worsening deformity and/or worsening symptoms</p>
<p>Management pathway for Specialist In-patient care</p>	<p>Surgery as appropriate</p>

Referral reason / Patient presentation	Neuromuscular scoliosis Neuromuscular scoliosis is curvature of the spine, which occurs because of a neurological or muscular condition
Primary Care Management	History, Examination and Assessment See link: https://britscoliosis.org.uk/Neuromuscular-Scoliosis Diagnostic None Refer to Secondary Care
Thresholds for Primary Care to initiate a referral	N/A
Management Pathway for the Integrated MSK Service	N/A
Thresholds for referral for Intervention Offer patient choice of provider	N/A
Management pathway for Specialist In-patient care	N/A

Referral reason / Patient presentation	Diffuse Idiopathic Skeletal Hyperostosis (DISH) Usually diagnosis is secondary to investigations for skeletal pain and does not have a unique presentation.
Primary Care Management	May present similar to osteoarthritis/degenerative joint pathology with axial spine stiffness and pain. It is identified as a systemic non-inflammatory disease characterised by ossification of the entheses See link to article https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4023007/ In spinal presentations shows ossification of the anterolateral aspect of the thoracic spine. Can affect peripheral locations as well. Management as for mechanical degenerative pain – this is not an inflammatory pathology
Thresholds for Primary Care to initiate a referral	Refer to Physiotherapy if: Certain of diagnosis and would like guidance and support on symptom/activity management Refer to Advanced Practitioner (ICATS) if: Uncertainty of differentiation from spondyloarthropathy or additional pathology and needs further imaging
Management Pathway for the Integrated MSK Service	May need rheumatology review if uncertainty of diagnosis or additional pathology If no evidence of inflammatory features then does not need Rheumatology review
Thresholds for referral for Intervention Offer patient choice of provider	N/A
Management pathway for Specialist In-patient care	N/A

Referral reason / Patient presentation	<p align="center">Rib Pain Costochondritis Pain at the sternochondral and costochondral joints AKA Tietze syndrome</p>
Primary Care Management	<p>Mild to severe localized pain and tenderness in the ribs</p> <p>This is a clinical diagnosis through clinical examination, patient story and area of symptoms</p> <p>Exclude other causes such as: cardiac, systemic features and rheumatologically inflammatory conditions / sinister pathology</p> <p>Treatment consists of relative rest, avoidance of strenuous activity, and pain medications such as nonsteroidal anti-inflammatory drugs (NSAIDs) and or normal analgesia</p> <p>Do not refer to physiotherapy</p>
Thresholds for Primary Care to initiate a referral	<p>Refer to Advanced Practitioner (ICATS) if: Unsuccessful conservative treatment</p> <p>Do not refer to physiotherapy</p>
Management Pathway for the Integrated MSK Service	<p>Refer to pain service for possible injection: Local corticosteroid or lidocaine injections directly into the affected area may be beneficial for people who don't respond to pain relievers</p>
Thresholds for referral for Intervention Offer patient choice of provider	N/A
Management pathway for Specialist In-patient care	N/A

Referral reason / Patient presentation	CAD – Cervical Arterial Dysfunction Sudden onset of new severe unilateral neck / jaw / face pain or sub occipital pain With possible cranial nerve symptoms and/or known vascular risks (carotid and vertebral artery disease)
Primary Care Management	This is rare event however If you suspect vertebral or internal carotid artery dissection, these are the features to look out for: Most commonly presenting feature is headache followed by: <ul style="list-style-type: none"> - Neck pain - Dizziness and unsteadiness / ataxia Other presenting features could be: <ul style="list-style-type: none"> - Ptosis, facial palsy - Visual disturbance - Paraesthesia (face) - Paraesthesia (UL) - Paraesthesia (LL) *Headache = unlike any other Check BP – and seek urgent medical advice Risk factors (not exhaustive): hypertension, recent trauma, history of connective tissue disease (Marfan's/EDS) and family history of CAD
Thresholds for Primary Care to initiate a referral	Only if stroke is suspected
Management Pathway for the Integrated MSK Service	N/A
Thresholds for referral for Intervention Offer patient choice of provider	As per stroke management
Management pathway for Specialist In-patient care	As per stroke management

Referral reason / Patient presentation	Cervicogenic headache Needs subsection of dizziness and BPPV should be referred to ENT and not physio/ICATS
Primary Care Management	See Pain Pathway
Thresholds for Primary Care to initiate a referral	N/A
Management Pathway for the Integrated MSK Service	N/A
Thresholds for referral for Intervention Offer patient choice of provider	N/A
Management pathway for Specialist In-patient care	N/A

Referral reason / Patient presentation	Meralgia paraesthetica Meralgia paraesthetica is a neurological condition that causes pain in the outer thigh. It is caused by compression of the lateral cutaneous nerve
Primary Care Management	Cause is not known Common symptoms are burning pain or numbness in the upper thigh, on the outer side. Nerve is trapped or compressed for example due to pressure from tight garments or belts More common in men than in women. Risk factors include obesity, pregnancy and ascites Management: <ul style="list-style-type: none"> - Self-limiting condition - May resolve itself - May need lifestyle changes / modifications - Visual disturbance Please note: NCS studies or imaging is not indicated
Thresholds for Primary Care to initiate a referral	Differential diagnosis – is this radiculopathy? Refer if unsure of diagnosis
Management Pathway for the Integrated MSK Service	See radiculopathy pathway
Thresholds for referral for Intervention Offer patient choice of provider	N/A
Management pathway for Specialist In-patient care	N/A

Spine Pathway group 4th December 2013

Dr Peter Devlin (GP, BICS)

Kieran Barnard (ESP Physiotherapist, SCT / BICS)

Chris Mercer (Consultant Physiotherapist, WSHT)

Jonathan Hearsey (ESP Osteopath, BICS)

Johan Holte (Consultant Physiotherapist, BICS)

Ian Francis (Consultant Radiologist, MIP)

Zoe Hall (Physiotherapist, SCT)

Robert Slater (Orthopaedic Consultant, MTW)

Carol Kinsella (Clinical Manager, MTW)

Matthew Daly (ESP Physiotherapist, ESHT)

Spine Pathway group 5th August 2014

Dr Peter Devlin (GP, BICS)

Kieran Barnard (ESP Physiotherapist, SCT / BICS)

Jonathan Hearsey (ESP Osteopath, BICS)

Kasia Kaczmarek (Integrated Care Manager, BICS)

Natalie Blunt (Service Manager, BICS)

Johan Holte (Consultant Physiotherapist, BICS)

Sally York (ESP, BICS), Hilary O'Connor (ESP, BICS)

Stephen Daly (ESP, Horder Healthcare)

Matthew Carr (MSK Operations Manager, Horder Healthcare)

Simon Thorpe (Consultant in anaesthetics and Pain Medicine, BSUH)

Steven Ward (Consultant in anaesthetics and Pain Medicine, BSUH)

Di Finney (Rheumatology Consultant Nurse, BICS / SCT)

Karen Eastman (Clinical Director, NSH Horsham & Mid Sussex CCG)

Richard Bell (Service Manager, SCT)

Laura Finucane (Consultant Physiotherapist, SCT)

Zoe Hall (Physiotherapist, SCT)

Farid Ibrahim (Consultant in anaesthetics and Pain Medicine, BSUH)

Hugh Maurice (Orthopaedic Consultant, SASH)

Spine Pathway group 5th September 2018

Johan Holte (Consultant Physiotherapist, HERE)

Sean Case (Advanced Practitioner, HERE)

Karen Cox (Advanced Practitioner Nurse, HERE)

Laura Finucane (Consultant Physiotherapist, HERE)

Zoe Hall (Advanced Practitioner, SCFT)

Ben Hodgson (Advanced Practitioner, HERE)

Andrew Kemp (Advanced Practitioner, HERE)

Andy Laing (Advanced Practitioner, BSUH)
Lisa Marshall (Advanced Practitioner, HERE)
Hilary O'Connor (Advanced Practitioner, HERE)
Gillian Pink (Advanced Practitioner, HERE)
Matthew Prout (Advanced Practitioner, HERE)
Elaine Sawyer (Advanced Practitioner, SCFT)
Toby Smith (Advanced Practitioner, SCFT)
David Stanley (Advanced Practitioner, SCFT)
Claire Wright (Advanced Practitioner, SCFT)

Spine Pathway group 2nd November 2018

Johan Holte (Consultant Physiotherapist, HERE)
Sean Case (Advanced Practitioner, HERE)
Karen Cox (Advanced Practitioner Nurse, HERE)
Gareth Florida-Jones (Advanced Practitioner, SCFT)
Zoe Hall (Advanced Practitioner, SCFT)
Ben Hodgson (Advanced Practitioner, HERE)
Andrew Kemp (Advanced Practitioner, HERE)
Olly Peck (Advanced Practitioner, SCFT)
Owen Rist (Osteopath, Here)
Toby Smith (Advanced Practitioner, SCFT)
Ram Vundavalli (Neuro-radiologist, MIP)